DIV 3 (V.11)

BOX-51

RECEIVED
APRIL 10, 1968

so e-e-easy goin'.

MAGLINER

2 WHEEL TRUCKS • 4 WHEEL TRUCKS

MAGLINER MAGNESIUM HAND TRUCKS

America's Largest Selling Hand Truck Line

There are plenty of solid reasons why Magliner *is* America's largest selling hand truck line, and they all add up to quality . . . QUALITY that reflects Magline's policy of no compromise on materials, design or construction. Take the heavy duty one-piece nose casting, for example, or the rugged interlocking box section side rails . . . *solid strength where strength counts*. Magliners are "easy going" too . . . perfectly balanced and magnesium-light for faster, safer, lower-cost handling—no matter what the job! They're *job-built . . . job-guaranteed!* Select the exact model you need from the easy-to-use table on the opposite page.



Cross Section of Siderail Shown Actual Size

Exclusive Box Section Side Rails

Double-strength, interlocking box section side rails are an exclusive Magliner frame design feature. Extra strength, extra stamina, *without extra weight!* Two extruded magnesium channels interlock to form a solid box section below the bottom cross brace—twice as strong as side rail construction on most other light metal hand trucks.

SIX BASIC HAND TRUCKS...over 200 standard models

500 LBS. CAPACITY—ALL MODELS

130-AU-800



140-AU-800

117-U-1035



111-AU-800

Accessories

DOUBLE GRIP HANDLES
Optional equipment on 112 and 142 frames, and with "HI-U" extensions. Add "DG" after model number.



CHANNEL-TYPE FOLDING NOSE EXTENSION (20" and 30" lengths)
For handling large cartons, bags and other bulky loads. Folds flush against frame for regular hand truck use. Available with "P" nose only (shown at left). Add "FN-20" or "FN-30" after model number.



HI-U" EXTENSION
For handling five cases, or other types of high loads. Two sizes available. "HI-U's" extend frame heights to 52" or 60". Add "HU-52" or "HU-60" after model number.

VERTICAL LOOP HANDLE
Optional on all Magliner hand trucks. Add "VLH" after model number.

STAIR CLIMBER
For easy handling of loads on curbs and steps. Available for 8" and 10" wheels. Add "SC" after model number.

PLATE-TYPE FOLDING NOSE EXTENSION‡
Ideal for all large, bulky loads. Formed plate folds up, recesses compactly within truck frame for conventional hand truck use. Fits all trucks with "U" or "AU" noses. Add "FP-24" after model number.

(24" long only)



BARREL FORKS
Forks open outward to form cradle for transporting drums, barrels, etc. Fold compactly against frame when not in use. Available for 111, 112, 117 and 214 frames. Add "BF" after model number.



FRAMES

Select desired frame. Only noses and accessories listed on same line can be applied to your frame choice. All frames are 12" wide (overall).

Frame Number	Overall Height (Inches)		Available Nose Models	Capacity (lbs.)	Available** Accessories
	With Handle	Less Handle			
111	48	40	AU, U, P	500	BF, HU, SC, DG, VLH
112	48	44	AU, U, P	500	BF, HU, SC, DG, VLH
214	48	40	AU, U	500	HU, SC, DG, VLH
511	52	40	AU, U, P	500	BF, HU, SC, DG, VLH
117	50	40	AU, U, P	500	BF, SC
130	39	31	AU, U, P	300	SC
140*	48	40	AU, U	500	HU, SC, DG
142*	48	44	AU, U	500	HU, SC, DG
147*	50	40	AU, U	500	SC

*Models 140, 142, 147 have curved back construction.

**In addition to listed accessories, two types of folding nose extensions are available: "FN"—Channel-Type—for "P"-nose models only; "FP"—Formed Plate‡ Type—fits all "AU" or "U" models.

WHEELS

Only noses listed on same line can be applied to your wheel choice.

Wheel Number	Size Dia. & Face (inches)	Wheel Type*	Nose*** Castings Available
800	8 x 1⅝	MRT	AU, U, P
802**	8 x 2½	SPT	AU, U, P
804	8 x 3	FPT	AU, U, P
1025	10 x 2½	SPT	U
1035	10 x 3½	FPT	U

*MRT Moldon Rubber Tire SPT Semi-Pneumatic Tire
FPT Full Pneumatic Tire

**802 is roller bearing. All others are ball bearing

***NOSE CASTINGS

Model	Size (inches) Width	Length	Height
AU	14	7½	4¾
U	18	7½	5½
P	18	8	9

Models "AU" and "U" have recessed heel construction. Model "P" has cast brackets to receive "FN" extension. Also available less brackets for standard use—specify "R".

How to Order

Select the exact Magliner Hand Truck model you need from the tables at left. *Frame* styles, *wheel* sizes and types, job-designed *nose* castings and *accessory* equipment may be quickly matched up to form the exact model number you want. Here's how to order:



Magliner Hand Trucks are mechanically assembled and can be quickly serviced in the field. All parts are replaceable from factory stock. STEEL WEAR BUTTONS cast into nose, reduce wear, assure longer service life.

22 LBS.

112-AU-802-SC



19 LBS.

214-U-800

BAGGAGE LINER

Specially designed for hotels, motels, resorts, institutions, etc. Gives maximum baggage capacity. Also ideal for use in industrial, warehousing and supermarket operations. Tapered 24" folding nose‡ plate recesses compactly into frame for standard, all-purpose hand truck use. Garment hook on model at far right retracts when not in use. Both models available with 8" moldon rubber . . . 8" or 10" semi-pneumatic tires.

111-U-800-FP 24
20 LBS.

21 LBS.

‡U.S. PATENT NO. 3,079,168
CANADIAN PATENT NO. 703,231

112-U-800-FP 24 HH

MAGLINER GENERAL PURPOSE TRUCKS

No matter what kind of loads you handle—match 'em up with Magliners and handle them for less! In factories, warehouses, terminals, stores, institutions and thousands of other industrial and commercial applications, you'll find "easy goin'" Magliners at work. Available in a wide range of styles, sizes and capacities. Universal type caster mounting plates are standard equipment on Magliner Platform Trucks to accommodate all commercial casters in a 2-2 mounting pattern. Trucks may be ordered less casters to meet customer standardization requirements. Variations of standard models, in aluminum or magnesium, available on request.

MAGNESIUM CONSTRUCTION

MODEL R Platform Trucks

SIZES AND WEIGHTS

Platform Size (inches)	Model R-55 (lbs.)	Model R-128 (lbs.)	Model R-156 (lbs.)	Model R-158 (lbs.)	Bed & Handle (less casters) (lbs.)
24x36	39	55	52	62	23
24x42	40	56	54	64	24
24x48	42	58	55	65	26
24x54	43	59	56	66	27
30x48	45	61	58	69	29
30x60	48	64	61	72	32
36x48	48	64	61	72	32
36x60	51	67	66	74	35
36x72	56	72	73	79	40

LOAD CAPACITIES AND WHEEL DATA

	Model R-55	Model R-128	Model R-156	Model R-158
Load Capacities	500 lbs.	1200 lbs.	1500 lbs.	1500 lbs.
Wheel Size	5" dia.	8" dia.	6" dia.	8" dia.
Tires	Solid rubber tire	Renewable rubber tire	Renewable rubber tire	Renewable rubber tire
Wheel Face	1½"	1¼"	2"	2"

Select the exact Magliner Truck you want from the above table.

SPECIFICATIONS

- **DECK PLATE:** One-piece—with smooth surface.
- **HANDLE:** Removable, reversible. Extra handle and cross brace optional.
- **CASTERS:** Two rigid and two swivel, set 2-2.
- **BUMPERS** (optional at extra cost): (1) full perimeter; (2) one end and two corners; (3) four corners. Made of non-marking steel reinforced rubber. Specify choice.

HERE'S HOW TO ORDER!

MODEL	WIDTH	LENGTH
R-55	24	36



ALUMINUM CONSTRUCTION

MODEL S General Utility Truck

For use in office, mail room, shop, or warehouse.

- **SIZE:** 36" high, 32" long, 20" wide.
- **CAPACITY:** 250 lbs.
- **WEIGHT:** 29 lbs.
- **CASTERS:** Two rigid and two swivel, set 2-2. 5" diameter wheels.
- **HANDLE:** Push handle at one end.
- **FINISH:** Natural bright aluminum.
- Upper and lower trays, each 2" deep.
- All-bolted construction.

MAGNESIUM CONSTRUCTION

MODEL PT Platform Truck

SPECIFICATIONS

- **DECK PLATE:** Safety tread surface. Fully riveted deck plate and frame construction; rugged cast corner assembly serves as handle socket.
- **CASTERS:** Two rigid and two swivel, set 2-2. Universal caster mounting plate allows use of full range of commercial casters with field installation a simple matter. Tilt style, set 1-2-1, available at extra cost.
- **HANDLE:** Removable, reversible type. 39" above floor. Cross brace on standard handle optional at extra cost.
- **BUMPERS** (optional at extra cost): (1) full perimeter; (2) one end and two corners; (3) four corners. Made of non-marking steel reinforced rubber. Specify choice.
- **THREE MODELS:**

  Model PT-108—1000 lb. capacity, 8" dia. Magliner "800" wheels with moldon rubber tires.

  Model PT-128—1,200 lb. capacity, 8" dia. institutional type wheels with renewable rubber tires, 1¼" wheel face.

  Model PT-208—2,000 lb. capacity, 8" dia. industrial type wheels with renewable rubber tires, 2" wheel face.

SIZES and WEIGHTS

Platform Size (inches)	Model PT-108 (lbs.)	Model PT-128 (lbs.)	Model PT-208 (lbs.)
24x36	54	58	69
24x42	57	61	72
24x48	59	63	74
24x60	62	66	77
30x48	63	67	78
30x60	68	72	83
30x72	72	76	88
36x48	68	72	83
36x60	73	77	89
36x72	79	83	95

MODEL ST-7 Multiple-Shelf Truck

For tray handling in cafeterias, or other applications in hotels, institutions, stores, etc., requiring a lightweight, multiple-shelf truck. Corrosion resistant, sanitary and attractive. Variations in number of shelves and truck size available on request.

- **SIZE:** 28" wide, 55" long, 72" high
- **TRUCK CAPACITY:** 1,400 lbs. total.
- **SHELF CAPACITY:** 200 lbs. per shelf—7 levels with 8" clearance between shelves.
- **WEIGHT:** 190 lbs.
- **CASTERS:** Two rigid and two swivel, set 2-2; 8" dia. industrial type wheels with renewable rubber tires, 1¼" wheel face
- **FINISH:** Natural bright aluminum

ALUMINUM CONSTRUCTION

MAGLINER SPECIAL PURPOSE TRUCKS

Magline offers a complete line of standard light-metal, 4-wheel trucks to meet a wide range of requirements for merchandise handling in stores, warehouses, and institutions. Box trucks, transfer trucks, garment trucks, stock and marking trucks, trailers, tow trucks—are just a few of the many Magliner special purpose trucks engineered and built for commercial and industrial service. For dependable, light-metal truck equipment, rely on experience . . . rely on Magliners! All Magliner special purpose trucks are available on quantity orders in either magnesium or aluminum construction. Magline will design and fabricate special purpose trucks for a wide range of additional applications. Quotations on request.

MODEL TTP-42A Transfer Truck

Designed to utilize full height and load capacity of delivery trucks and transfer vans. Highly maneuverable in limited space. Handles both full length and short garments, packages, or garments and packages combined.

- **CAPACITY:** Deck—1,000 lbs., Shelf—300 lbs., Garment Bar—175 lbs.
- **CASTERS:** Two rigid and two swivel, set 2-2; 8" dia. phenolic resin wheels with 2" face, or 8" x 1¼" institutional type wheels with rubber tires. (Variations quoted on request.)
- **HANDLE:** Drop-type handle on both ends of truck.
- **BUMPERS:** Full perimeter. Non-marking, steel reinforced rubber, with matching moulded corner bumpers.
- **CURTAIN:** Vinyl-coated curtain with quick-acting closure device. Nylon or cotton duck curtain optional.
- **WEIGHT:** 163 lbs.
- **FINISH:** Natural mill finish.
- **DIMENSIONS:** Overall height, 69⅝"; overall length, 59¾" including bumpers; overall width, 28¾" including bumpers. Deck height above floor, 12½"; shelf height above floor, 45⅝"; handle height above floor, 44". Hanger bar clearance to shelf, 23"; to deck, 56".

MODEL GT-10 Garment Rack Truck

A full length garment truck that serves equally well in the receiving department, in the warehouse or on the sales floor. Extremely light—easily handled by stock personnel, sales people, etc. Two models available—magnesium construction.

- **CAPACITY:** Deck—500 lbs., Garment Bar—200 lbs.
- **CASTERS:** Two rigid and two swivel, set 2-2; 5" dia. cushion-tread wheels. (Variations quoted on request.)
- **BUMPERS:** Full perimeter. Non-marking, steel reinforced rubber, with matching moulded corner bumpers.
- **DECK HEIGHT** (above floor): 9⅜".
- **HANGER BAR CLEARANCE:** 58".
- **FINISH:** Aluminum lacquer, with clear lacquer top coat.

SIZES AND WEIGHTS

Model Number	Height, Overall	Length (Inches)		Width (Inches)		Weight (lbs.)
		With Bumpers	Less Bumpers	With Bumpers	Less Bumpers	
GT-10-48	70	50	48	26	24	57
GT-10-60	70	62	60	26	24	60

MODEL SMT-23A Stock and Marking Truck

For stock and marking . . . warehouse order handling . . . receiving . . . moving merchandise anywhere within the store. Made of magnesium for extreme lightness and ease of handling. Ruggedly built for dependable service.

- **CAPACITY:** Deck—500 lbs. Upper shelves—200 lbs. each.
- **CASTERS:** Two rigid and two swivel, set 1-2-1; 5" dia. cushion tread wheels. (Variations quoted on request.)
- **BUMPERS:** Full perimeter. Non-marking, steel reinforced rubber, with matching moulded corner bumpers.
- **WEIGHT:** 83 lbs.
- **FINISH:** Aluminum lacquer, with clear lacquer top coat.
- **DIMENSIONS:** Overall height, 70"; overall length, 54" (less bumper, 52"); overall width, 25½" (less bumper, 23½"). Deck height above floor, 9⅛"; 1st shelf above floor, 28⅛"; top shelf above floor, 52⅝".

MODEL PGT-32 Package and Garment Truck

Three trucks in one. A full length garment truck with shelf folded back . . . a package truck with shelf in place . . . and a mobile merchandise display unit for the sales floor when you need it. Magnesium construction.

- **CAPACITY:** Deck—500 lbs. Shelf—250 lbs., Garment Bar—150 lbs.
- **CASTERS:** Two rigid and two swivel, set 1-2-1; 5" dia. rubber tired wheels. (Variations quoted on request.)
- **HANDLE:** Drop-type handle at one end.
- **BUMPERS:** Full perimeter. Non-marking, steel reinforced rubber, with matching moulded corner bumpers.
- **WEIGHT:** 80 lbs.
- **FINISH:** Aluminum lacquer, with clear lacquer top coat.
- **DIMENSIONS:** Overall height, 67"; overall length, 50" (less bumper 48"); overall width, 26" (less bumper 24"). Deck height above floor, 8⅞"; shelf height above floor, 38⅝"; handle height above floor, 38". Hanger Bar clearance to shelf, 27"; to deck, 57".



MODEL BT-104 Box Truck

Open top box truck with push handle for wide variety of merchandise handling. Light weight magnesium construction for easy handling. Rugged design . . . tops in appearance.

- **CAPACITY:** 1000 lbs.
- **CASTERS:** Two rigid and two swivel, set 2-2. 8" dia. Magliner "800" wheels with moldon rubber tires.
- **HANDLE:** Push handle at swivel end. Non-marking "do-nut" type bumpers standard.
- **BUMPERS:** Four corners standard (full perimeter, optional at extra cost). Non-Marking, steel reinforced rubber.
- **FINISH:** Hammertone gray standard, variations on request.

SIZES AND WEIGHTS

	Height (inches)		Inside Dimensions (inches)		
Model Number	Overall	Inside Clear	Width	Length	Weight (lbs.)
BT-104-2448	36¼	24	24	48	80
BT-104-3660	48¼	36	36	60	100

MAGLINER MAGNESIUM PALLET DOLLIES

On the dock, in the plant or warehouse—wherever pallet loads are handled, Magliner Pallet Dollies keep loads mobile, free-up power equipment for the long hauls! Light, strong magnesium construction. Easily carried back to loading point by one man. Magliner Pallet Dollies are service-tested under toughest conditions . . . *service-proved* to outlast any other light metal dolly!



SPECIFICATIONS

- **WEIGHT:** 30 lbs. to 53 lbs.
- **CAPACITIES:** 2,000, 4,000, and 5,000 lbs.
- **SIZES:** 36" x 36" to 48" x 48".
- **CONSTRUCTION:** Channel frame of specially designed, heavy-duty extruded magnesium. Steel hexagon axles set in pierced frame to prevent rotation. Large 3½" dia. rollers with shielded ball bearings for easy rolling. Staggered roller spacing on refrigerator car models (specify NTRS-8P).

Order from convenient tables below (special sizes on request):

	6 Roller Models 2,000 lbs. capacity Available in Non-Tilt (NT) or Swivel (S) (Center Roller Set Low)		8 Roller Models 4,000 lbs. capacity SW Models With 2 Center Rollers in Swivel Assembly		10 Roller Models 5,000 lbs. capacity SW Model With 3 Center Rollers in Swivel Assembly		NON-TILT TYPE *(Refrigerator Cars)*					
							8 ROLLER* MODELS 4,000 lbs. capacity		12 ROLLER MODELS 5,000 lbs. capacity		16 ROLLER MODELS 5,000 lbs. capacity	
Size (W & L)+ (inches)	Model	Weight (lbs.)	Model	Weight (lbs.)	Model	Weight (lbs.)	Model	Weight (lbs.)	Model	Weight (lbs.)	Model	Weight (lbs.)
36 x 36	NT-6P or S-6P	30	SW-8P	37	SW-10P	46	NTR-8P	35				
36 x 42	NT-6P or S-6P	31	SW-8P	38	SW-10P	48	NTR-8P	37	NTR-12P	40	NTR-16P	47
36 x 48	NT-6P or S-6P	34	SW-8P	41	SW-10P	50	NTR-8P	38	NTR-12P	42	NTR-16P	49
42 x 36	NT-6P or S-6P	33	SW-8P	39	SW-10P	47	NTR-8P	37				
42 x 42	NT-6P or S-6P	34	SW-8P	41	SW-10P	49	NTR-8P	39	NTR-12P	41	NTR-16P	48
42 x 48	NT-6P or S-6P	36	SW-8P	43	SW-10P	50	NTR-8P	41	NTR-12P	45	NTR-16P	52
48 x 48	NT-6P or S-6P	37	SW-8P	44	SW-10P	51	NTR-8P	42	NTR-12P	46	NTR-16P	53

+Length is direction of roll

**All 8-Roller Models Available with Staggered Rollers Except 36 x 36 and 42 x 36*



HEIGHT OVERALL: 5¼" with 3" dia. wheels

CAPACITIES: 700 lbs. with 3" dia. soft rubber wheels – 900 lbs. with 3" dia. hard rubber wheels

Specify Model and Wheel Choice when ordering

Model Number	Width (inches)	Length (inches)	Weight (lbs.)
H-18x24	18	24	12 lbs.
H-21x30	21	30	14 lbs.



HEIGHT OVERALL: 10" with 5" dia. wheels

CAPACITY: 2,000 lbs.

WHEELS: 5" dia. hard rubber with roller bearings

Model Number	Width (inches)	Length (inches)	Weight (lbs.)
C-21x36	21	36	35 lbs.
C-24x42	24	42	39 lbs.

GENERAL PURPOSE CASTERED ALUMINUM DOLLIES

New lightweight aluminum Magliner Castered Dollies keep loads moving . . . efficiently, economically! Ideal for handling loads of all kinds—cartons, boxes, furniture, appliances, etc. Rigid, strong construction. Equipped with four swivel casters . . . pierced rim for attaching hook, rope or chain. Two basic models to choose from (two standard sizes in each model). Special sizes on request.

MAGLINE INC., PINCONNING, MICHIGAN

In Canada: Magline of Canada, Ltd., Renfrew, Ontario

MANUFACTURERS OF: *Floor Trucks, Hand Trucks, Dock Boards, Bridges, Mobil-Dock Loading Ramps, Pallet Dollies, Special Fabrications.*

BULLETIN No. HT-111R

Representatives in All Principal Cities of the United States and Canada

REPRESENTED BY